

Tehničke karakteristike, opis i specifikacije predmeta javne nabavke, uslovi isporuke li izvršenja

Naručilac	Grad Novi Pazar- Gradska uprava za naplatu javnih prihoda
Referentni broj	404- 6/23
Naziv i predmet nabavke	Nabavka računarske opreme

Rok i način plaćanja:	U roku od 45 dana od dana prijema računa. <i>Uslovi plaćanja su bliže određeni u u članu 3. Modela ugovora.</i>
-----------------------	--

Redni broj	Naziv	Količina
1.	Računar	6 kom.
Minimalne tehničke karakteristike		
Tip	ALL in ONE računar	
Tip procesora	Intel® Core™ i3 Processor	
Grafička kartica	Intel	
Opis procesora	Intel Core i3-10110U Dual Core Processor, 2 jezgra, 4 niti Brzina: 2.10 GHz (Turbo do 4.10 GHz) Keš memorija: 4MB Litografija: 14 nm	
SSD	256GB	
Grafička kartica	Integrirana Intel UHD Graphics sa deljenom sistemskom memorijom	
Ekran	Dijagonala 21.5" 21.5", Full HD, IPS, Anti glare, 250 nits, 45% NTSC Rezolucija: 1920 x 1080	
Memorija	8GB (1 x 8GB) DDR4 2666MHz RAM, 2 SODIMM slota	
Skladištenje podataka (opis):	256GB PCIe NVMe M.2 SSD 2 x M.2 (1 za WLAN, 1 za SSD) 1 x SATA	
Optički uređaj	DVD RW, HP 9.5 mm Slim DVD-Writer	
Mreža	Wi-Fi 5 Bluetooth 4.2	
Portovi	<ul style="list-style-type: none"> • 1 x HDMI-Out • 1 x RJ-45 • 2 x USB 2.0 • 2 x USB 3.2 Gen 1 • 1 x 3u1 Čitač kartica 1 x Kombo port za mikrofonslušalice (3.5 mm)	
Zvuk	Realtek ALC3247 codec, combo microphone/headphone jack	
Operativni sistem	Windows 10 Pro 64bit	
Web kamera	5 MP IR camera	
Periferije	HP USB žičana tastatura HP USB žičani miš	
Dimenzije:	49.03 x 38.07 x 20.45 cm	
Masa	5.7 kg	
Boja	Crna	
Garancija	Najmanje 3 godine proizvođačke garancije sa besplatnim delovima i radom ovlašćenog servisera.	
Napomena	U ponuđenu cenu uračunati USB tastaturu i miš od istog proizvođača	

Redni broj	Naziv	Količina
2.	A4 skener	1 kom.
Minimalne tehničke karakteristike		
Tip skenera	za dokumenta sa ADF-om	
Tehnologija za skeniranje	CIS	
Izvor svetla	RGB LED	
Format	A4	
Rezolucija	do 600 x 600 dpi	
Brzina skeniranja	24 ppm Dvostrano: 54 ipm	
Dubina boje	24 bit / 8 bit	
Maksimalna veličina dokumenta	216 x 5588 mm	
Podržani tipovi medija	Obični papir Težina: 127 - 209 g/m², ADF: 0 - 80 g/m² Debljina: 0.76 mm	
Konekcija	USB-B 1.1, USB 2.0	
Ostalo	Skeniranje za fajl Ulazni kapacitet: 50 listova	
Podržani operativni sistemi	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64 Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64 Ubuntu 14.04, Ubuntu 16.04	
Napajanje	Strujni adapter	
Radna temperatura:	5 - 35°C	
Dimenzije	29 x 13 x 14.6 cm	
Masa	2.9 kg	
Garancija	Najmanje 3 godine proizvodjacke garancije.	

Redni broj	Naziv	Količina
3.	Laserski Fotokopir aparat 3 u 1 (Štampač, Kopir, Skener)	1 kom.
Minimalne tehničke karakteristike		
Tehnologija štampe	Laseri	
Štampanje	Mono štampanja Duplex štampanje	
Max. rezolucija	600 x 600 DPI	
Brzina štampanja (crna, normalan kvalitet, A4/US Letter)	25 ppm	
Brzina štampanja (crnobela, minimalan kvalitet, A4/US Letter)	11 ppm	
Brzina štampanja (crna, normalan kvalitet, A3)	12 ppm	
Vreme zagrevanja	4 s	
Vreme do štampanja prve strane (crno, normalno)	12 s	
Funkcije	Štampanje vodenog žiga Bezbedno štampanje Funkcija štampanja postera	
Kopiranje	Mono kopiranje Dvostrano kopiranje	
Maksimalna rezolucija kopiranja	600 x 600 DPI	
Brzina kopiranja (normalan kvalitet, crno, A4)	25 cpm	
Brzina kopiranja (crno-belo, režim štednje tonera, A4)	11 cpm	
Brzina kopiranja (crno-belo, normalan kvalitet, A3)	12 cpm	
Vreme do prve kopije (crno)	7,4 s	
Maksimalni broj kopija	9999 kopije	
Mogućnost promene veličine	25 – 400%	
Funkcije	Kopiranje više stranica na 1 stranicu Funkcija kopiranja knjiga Funkcija kopiranja identifikacionih kartica Funkcija brisanja ivica	
Skeniranje	Skeniranje u boji Opciona rezolucija skeniranja 600 x 600 DPI	
Tip skeniranja	ADF	
Rezolucija optičkog	600 x 600 ppi	

skeniranja (crno-belo)	
Rezolucija optičkog skeniranja (u boji)	297 x 432 ppi
Skeniranje na:	Oblak, HTTP, Memorijska kartica, USB
Brzina skeniranja (crno-belo)	25 ppm
Podržani formati slika	JPEG, MMR, TIFF
Podržani formati dokumenata	PDF,XML,XPS
Upravljački programi skenera	TWAIN,WIA
Karakteristike	Broj print kertridža 1 Boje za štampanje Crno Jezici opisa stranice PCL 6,PostScript 3,UFR II Digitalni pošiljalac Fontovi štampača Barcode,Bitmap,PCL,PostScript Istovremeno korišćenje Sve-U-Jednom mogućnosti
Ulazni i izlazni kapacitet	Ukupan broj ulaznih ležišta 2 Ukupni ulazni kapacitet 330 stranice Ukupni izlazni kapacitet 250 stranice Višenamensko ležište Ručno umetanje Kasimalni broj ulaznih ležišta 2
Rukovanje papirom	Maksimalna veličina papira ISO A-serije A3 Tipovi medija za ležište za papir Bond papir, Koverte, Debeli papiri, Etikete, Obični papiri, Pre-Printed, Reciklirani papir, Tanki papiri, Providnosti ISO A-series veličine (A0...A9) A3,A4,A5 Max. veličina štampe 297 x 431.8 mm ISO B-series veličine (B0...B9) B4,B5 Težina medija za ležište za papir 64 – 90 g/m ² Težina medija u višenamenskom tray-u 60 – 157 g/m ²

Portovi i interfejsi	Dirketno štampanje USB port Konektor za USB USB tipa A Broj USB 2.0 portova 4
Mreža	Wi-Fi Ethernet LAN Tehnologija kabliranja 10/100/1000Base-T(X) Brzina prenosa podataka na Ethernet LAN-u 1000 Mbit/s Wi-Fi standardi 802.11b,802.11g,Wi-Fi 4 (802.11n) Podržani sigurnosni algoritmi IPSEC,SNMPv3,SSL/TLS Tehnologije mobilnog štampanja Canon PRINT Business
Performanse	Interna memorija 2000 MB Kapacitet interne memorije 64 GB Ugrađen procesor Frekvencija procesora 1000 MHz Jezgra procesora 2 Nivo zvučnog pritiska (štampanje) 54 dB
Tehnički detalji	Sustainability certificates ENERGY STAR
Dizajni	Boja proizvoda Belo Pozicioniranje na tržištu Poslovni Ugrađeni ekrani Displej LCD Dijagonala ekrana 17,8 cm (7") Tip kontrolera Na dodir Ekran u boji
Težina i dimenzije	Širina 627 mm Dubina 692 mm Visina 616 mm Težina 39,2 kg
Garancija	Najmanje 3 godine proizvodjacke garancije.

Redni broj	Naziv	Količina
4.	Matična ploča	1 kom.
Minimalne tehničke karakteristike		
Tip procesora	Intel	
Podnožje	Intel® 1200	
Čipset	Intel® Z590	
Format ploče	ATX	
Podržana memorija	DDR4	
Podržani procesori	Intel LGA1200 za 11th Gen Intel Core processors 10th Gen Intel Core, Pentium Gold i Celeron Processors	
Memorija	4 x DIMM, Maksimalno 128GB DDR4 - 5133(OC)/5000(OC)/4800(OC)/4700(OC)/4600(OC)/4500(OC)/4400(OC)/4266(OC)/4133(OC)/4000(OC)/3866(OC)/3733(OC)/3600(OC)/3466(OC)/3400(OC)/3333(OC)/3200/3000/2933/2800/2666/2400/2133 MHz Non-ECC, Un-buffered memorija -Dual Channel Memory Architecture -Podržava Intel Extreme Memory Profile (XMP) -OptiMem II	
Integrirana grafička karta	1 x DisplayPort 1.4 -1 x HDMI 1.4 / 2.0	
Slotovi za proširenje	1 x PCIe 4.0/3.0 x16 slot -1 x PCIe 3.0 x16 slot (podržava x4 mod) -2 x PCIe 3.0 x1 slota	
Skladište	3 x M.2 slota -4 x SATA 6Gb/s porta	
Mrežna karta	1 x Realtek 2.5Gb Ethernet	
Zvučna karta	Realtek ALC897	
USB	1 x USB 3.2 Gen 1 konektor -2 x USB 3.2 Gen 1 headers podržavaju dodatna 4 USB 3.2 Gen 1 porta -2 x USB 2.0 headers podržavaju dodatna 4 USB 2.0 porta	
Konektori na zadnjoj strani	1 x USB-C 3.2 Gen 2x2 port -1 x USB-A 3.2 Gen 2 port -2 x USB-A 3.2 Gen 1 porta -2 x USB-A 2.0 porta	
Interni konektori	1 x 4-pin CPU Fan header -1 x 4-pin AIO Pump header -3 x 4-pin Chassis Fan headers -1 x 24-pin glavni konektor za napajanje -1 x 8-pin +12V konektor za napajanje -1 x 4-pin +12V konektor za napajanje -3 x M.2 slota (Key M) -4 x SATA 6Gb/s porta -1 x USB 3.2 Gen 1 konektor -2 x USB 3.2 Gen 1 headers podržava dodatna 4 USB 3.2 Gen 1 porta -2 x USB 2.0 headers podržava dodatna 4 USB 2.0 porta -2 x AURA Addressable Gen 2 headers -2 x AURA RGB headers -1 x Clear CMOS header -1 x COM Port header -1 x Front Panel Audio header (AAFP) -1 x SPI TPM header (14-1pin) -1 x 20-5pin System Panel header -1 x Thunderbolt header	
BIOS	192 (128+64) Mb Flash ROM, UEFI AMI BIOS	
Ostalo	30.5 x 23.4 cm	
Garancija	Najmanje 1 godine proizvođačke garancije.	

Redni broj	Naziv	Količina
5.	Procesor	1 kom.
Minimalne tehničke karakteristike		
Tip procesora	Intel® Core™ i7	
Podnožje	Intel® 1200	
Broj jezgara:	8	
Threads:	16	
TDP	125W	
Radna frekvencija	3.8GHz	
Turbo frekvencija	5.1GHz	
L2 keš memorija	8 x 256MB	
L3 keš memorija	16MB	
Integrirani grafički procesor:	Nema	
Garancija	Najmanje 1 godine proizvođačke garancije.	

Redni broj	Naziv	Količina
6.	Ram memorija	1 kom.
Minimalne tehničke karakteristike		
Tip	DDR4	
Gaming	Da	
RGB	Da	
Kapacitet	16 GB	
Napon	1.35V	
Maksimalna frekvencija	3200Mhz	
Latencija	CL16	
Garancija	Najmanje 1 godine proizvođačke garancije.	

Mesto:

Ponudač

Datum :
